

**GOVERNMENT OF ANDHRA PRADESH**

**A B S T R A C T**

Public Services - MA &UD - Departmental proceedings under Rule-20 of the APCS (CC&A) Rules, 1991 against certain officials of Sathupally Municipality on the allegations of wasteful expenditure of Rs.27.52 crores, made on Sathupally water supply improvement scheme in Khammam District - Appointment of Dr. Premachand I.A.S., (Retd), COI may be appointed as Enquiry Officer for detailed enquiry on the charges issued against two charged officers Sri K.Ramaiah, S.E.(PH) and Sri M.Rajeshwar Rao, E.E. (PH) - orders - Issued.

-----

**MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (E2) DEPARTMENT**

**G.O.Rt.No. 190**

**Dated:05.02.2014**

**Read the following:**

1. G.O.Ms.Nos.31 & 32 MA&UD (E2) Dept, dt.24.1.2013.
2. G.O.Rt.Nos.137-140, MA&UD (E2) Dept, dt.24.1.2013.
3. W.S.D of the Charged Officers Sri K. Ramaiah, S.E. (PH) & Sri M.Rajeshwar Rao, E.E. (PH).
4. Govt.Memo.No.25316/E2/2012, MA&UD (E2) Dept, dt. -1-2014.

**ORDER:**

Whereas, in the G.Os 1<sup>st</sup> & 2<sup>nd</sup> read above disciplinary proceedings have been initiated under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991, against the then concerned responsible officials i.e., 1) Sri B.Chandra Sekhar, Engineer-in-Chief (PH) (Retd), 2) Sri N.Sudhakar Rao, S.E. (PH) (Retd), 3) Sri K. Ramaiah, S.E. (PH) 4) Sri N.Komariah E.E. (PH) (Expired) and 5) Sri M.Rajeshwar Rao, E.E. (PH), on the allegations of wasteful expenditure of Rs.27.52 crores, made on water supply improvement scheme to the tune to Sathupally Municipality in Khammam District as it is lying ideal since, 2010, as the scheme is contemplated without identifying source of water supply.

2. It has been decided that to drop further action on the charges issued against Sri B.Chandra Sekhar, Engineer-in-Chief (PH) (Retd), and Sri N.Sudhakar Rao, S.E. (PH) (Retd), as the limitation period of four year prescribed in Rule 9 (2)(b) of APRP Rules 1980 is over. Further, the articles of charge not served on Sri N.Komariah E.E. (PH), who was expired on 13.11.2012. In the reference 4<sup>th</sup> read above, the Engineer-in-Chief (PH) has been requested to arrive the loss caused due to these three individual, if any, so as to take further action as per rule 9(7) of APRP Rules' 1980 and for issue further orders, accordingly.

3. And whereas it is considered for entrusting the case to the Commissionerate of Inquiries to conduct detailed inquiry into the charges framed against the remaining two charged officers i.e., Sri K.Ramaiah, S.E.(PH) and Sri M.Rajeshwar Rao, E.E. (PH).

4. Government accordingly hereby appoints Dr. Premachand I.A.S., (Retd), Commissioner of Inquiries as an Enquiry Authority under Rule 20 (2) of the A.P.C.S. (CC&A) Rules, 1991 to conduct a detailed enquiry on the irregularities against Sri K.Ramaiah,S.E.(PH) and Sri M.Rajeshwar Rao,E.E. (PH).

(P.T.O)

5. The Enquiry Officer is requested to complete the enquiry within three months and submit his report to Government.
6. All the required information is enclosed herewith.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.S.K.JOSHI.  
PRINCIPAL SECRETARY TO GOVERNMENT.

To  
Dr. Premachand I.A.S., (Retd),  
Commissioner of Inquires, GAD (w.e)  
The Engineer-in-Chief (PH), Hyderabad,

**Copy to:**

Sri Sri K.Ramaiah, S.E.(PH) -  
Sri M.Rajeshwar Rao, E.E. (PH). ] through the ENC (PH), Hyd.

The General Administration(V&E) Dept  
The Secretary to V.C., APVC.

//FORWARDED BY ORDER//

SECTION OFFICER.